



032-125
Environmentally Friendly Paint



Designed for Wood

Head Quarter : Protego International Co.,Ltd.

Office : 91/76 Suwintawong Road, Minburi,
Bangkok 10510 Thailand

Tel. +662 159 0974 Fax. +662 159 0975

e-mail : info@protego.co.th

website www.protego.co.th

www.protegodenmark.com



Dealer :



Designed for Wood

A COMPLETE SYSTEM

*Basic finishing, maintenance
and care of wood*



www.protego.co.th
www.protegodenmark.com



Exterior Wood

If used correctly, wood in exterior surroundings is a valuable material and is resistant to all kinds of weather from hot humid conditions to temperatures below zero and with extremely low humidity. Especially in climates with high humidity, wood is exposed to damaging organisms such as fungus, insects, and green growth. This causes wood to deteriorate and decay.



Deep Cleaner A + B is a dual component solution which strips the wood of fungus and green growth effectively. Deep Cleaner is mainly used for garden furniture and decking boards. In most cases the products are used undiluted except for pine and oak. To prevent discolouration of the wood, it is recommended to dilute with water 1 part of A and 3 parts of water.



The cleaning with **Deep Cleaner A + B** is easier and more efficient than sanding down the furniture or decking boards. The products will get into gaps and openings which are difficult to sand and this kind of stripping is fast and easy and brings your garden furniture or decking boards back to their natural colour.



Decking Oil is available in a range of colours which offers the opportunity of upgrading wood with the chosen colour of the Decking Oil. Decking oil is used for oiling of decking boards or tiles but may also be used for cladding and fences of wood. The Decking Oil is used both for basic finishing and later rejuvenation of the decking.



Exclusive Oil is formulated on the latest technology in the market of water based coating components and it is available in a wide range of colours. The PROTEGO Exclusive Oil is used both for basic finishing and later rejuvenation of all exterior wood. The Exclusive Oil offers a large number of advantages which have been ensured through the formulation of the product.



Garden Furniture Oil is offered in a variation of colours to suit the wood species of the garden furniture. Much garden furniture is produced of wood and in order to maintain the beauty of the natural wood grain, it is very important you clean and oil the garden furniture right from the beginning. The oil finish will offer an excellent protection of the wood and ensure the durability for several years.



Fibre Paint is economical and very easy to use. It is a water-based acrylic waterproofing solution with an 8 year guarantee that forms a strong barrier against water and moisture. It forms a membrane and withstands cracking and movement of the underlying substrate. Fibre Paint is ideal for roofs, parapets, flashings, cement and walls.



Interior Wood

Floor Lacquers from Protego offer maximum protection of woodfloors, especially hard-wood floors exposed to heavy-duty in restaurants or hotel lobbies. Through innovation and many years of experience, Protego has developed some of the best lacquers available and marketed under the Protego brand.



Lacquer Soap is a mild cleaning agent for your lacquered floors. Any floor will need cleaning from time to time. It is though important that a suitable detergent is used so that the actual lacquer will not be damaged in anyway. Lacquer Soap has a dual function as it cleans the floor perfectly and at the same time leaving a micro thin protective film on the floor.



Lacquer Care is formulated in such a way that it will rejuvenate industrial and manually lacquered floor which are partly worn down over a period of time. Lacquer Care is water based and easy to apply with cloth. The product should not be diluted and may be applied directly from the bottle sprayed and polished immediately. As said, it repairs the surface and brings back life to a dull and worn down floor.



Wood Floor Oil Natural and White are used on untreated and lye primed woodwork such as interior floors, stairs, panels and furniture. Floor Oil has excellent penetration properties and therefore ensures a hard-wearing, flexible, dirt and water repellent surface. The Floor Oil Natural is mainly used on dark wood species.



Hard Oil Wax is used for basic finish of wood floors and woodwork furniture in general. It produces a strong and wear resistant surface with enhancement of the wood grain. Hard Oil Wax natural produces a golden colour whereas white enhances the light colour of oak, ask, pine wood. The oil penetrates the wood grain and the wax remains on the surface and offers extra protection to the surface.



Polyurethane Water Based 1K, 2K

PU 1 is water-based 1-component wood floor lacquer which may be used on all wood floors of any species of wood including oak. PU 1 is a high quality lacquer which has all the good properties and advantages such as resistance to water and chemicals including black marks from rubber soles.



Wood Filler

INTERIOR GRADE Solvent Free Sets firmly to all woods, nail heads, screws Does not sink, crack or fall out Will take all finishing operations, painting, staining, sanding, drilling, sawing, lacquers etc.